

Recommended immunizations for children: birth through 6 years old

	Birth	1 month	2 months	4 months	6 months	8 months	12 months	15 months	18 months	19-23 months	2-3 years	4-6 years
RSV	✓	1 dose during RSV season				✓	1 dose during RSV season for those at high risk					
HepB	✓	✓			✓							
RV			✓	✓	✓							
DTaP			✓	✓	✓			✓				✓
Hib			✓	✓	✓		✓					
PCV			✓	✓	✓		✓					
IPV			✓	✓	✓							✓
COVID-19					✓	As recommended for age group						
Influenza					✓	Yearly						
MMR							✓					✓
Varicella							✓					✓
HepA							✓	Dose 2: 6 months after dose 1				

Source: American Academy of Pediatrics

For more information, visit: bannerhealth.com/childvaccines

Recommended immunizations for adolescents: 7 through 18 years old

	7 years	8 years	9 years	10 years	11 years	12 years	13 years	14 years	15 years	16 years	17 years	18 years
MenACWY					<div><div>✓</div></div>					<div><div>✓</div></div>		
MenB							Recommended for some teens				<div><div>✓</div></div>	
Flu	<div><div>✓</div></div>	Yearly <div><div></div></div>										
HPV (3 doses if given after age 14)			<div><div>✓</div></div>	2 doses recommended								
Tdap					<div><div>✓</div></div>							
COVID-19	<div><div>✓</div></div>	As recommended for age group										

For more information, visit: bannerhealth.com/childvaccines

Source: American Academy of Pediatrics